



## GENERAL PRODUCT SPECIFICATION

<b>Item No.</b>	<b>ENV150-E</b>
-----------------	-----------------

<b>Date</b>	6-12-06	<b>Replaces</b>	5-02-06	<b>No. Pages</b>	1
-------------	---------	-----------------	---------	------------------	---

### Product Description:

<b>Style</b>	Blanket roll
<b>Item Size (each)</b>	96 cm x 44 m
<b>Color</b>	White
<b>Composition</b>	100% Polypropylene
<b>Structure</b>	Nonwoven mat of randomly oriented Micro-fibers [4-10 micron diameters]
<b>Technology</b>	Meltblown, 1-ply
<b>Absorbency</b>	<b>Hydrophobic</b> + Oleophilic
<b>Bonding</b>	Mechanical entanglement

<b>Intended Application</b>	Chemical Resistant Sorbent <b>BLANKET</b> for Oil & Solvent Base Liquids
-----------------------------	--

<b>Absorbency Capacity</b>	274 l per bale (saturated; medium viscosity-20x)
----------------------------	--

### Packaging Description:

Package configuration	bale	Pkg. Weight	12.0 kg (11.8kg)
Items per Package	1-roll/bale	Pkg. Dimensions	47cm x 47cm x 97cm H
Container type	Polybag + Twist Tie		

### Physical Properties:

<u>Parameter</u>	<u>SPC Test Method</u>	<u>Units</u>	<u>Nominal</u>	<u>(+/-)Tolerance</u>
Basis Weight	SPCTM-002A	G/M2	280	28
Caliper	SPCTM-020	mm	7.0	0.7
Absorbency** (med.visc.)	SPCTM-004B	gL/gS	20	2
Tear Strength	SPCTM-006	daN	3.4	Min 2.5
Color	Visual	-----	White	per standard

The above properties are “nominal” values used for **PROCESS CONTROL** when the product is produced and/or inspected. Performance “nominals” may vary depending upon the specific application, and/or the environment being applied, stored, or shipped.

\*\* The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

<b>Attributes</b>	Product will be free of foreign material contamination, rips, holes, and tears.
<b>Labeling</b>	Each package to be clearly labeled with Company Name, Address, Item No., Date, and/or Package Code (Bar Code).
<b>Certification</b>	Make no changes in basic process or composition without notifying customer. Claims for non-conformance of goods must be made within 60-days of delivery.